

05/18/2013 11:53 3055933121

AHCA

PAGE 84/88

PRINTED: 06/18/2013  
 FORM APPROVED

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>AC13960052</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  <b>05/22/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>BLUE CORAL WOMEN'S CARE, INC.</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>7360 CORAL WAY SUITE 16 MIAMI, FL 33185</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	INITIAL COMMENTS  An onsite visit was made to Blue Coral Women's Care, Inc. located at 7360 Coral Way, Suite 16, Miami, Florida 33155 on 5/22/2013, in order to conduct a State Licensure Survey. Blue Coral Women's Care, Inc. was not in compliance at the time of the survey.  The following is a description of deficient practice:	A 000		
A 156	Clinic Supplies/Equip. Stand.-2nd Trimester Equipment Maintenance.  (a) When patient monitoring equipment is utilized, a written preventive maintenance program shall be developed and implemented. This equipment shall be checked and/or tested in accordance with manufacturer's specifications at periodic intervals, not less than annually, to insure proper operation, and a state of good repair. After repairs and/or alterations are made to any equipment, the equipment shall be thoroughly tested for proper calibration before returning it to service. Records shall be maintained on each piece of equipment to indicate its history of testing and maintenance.  (b) All _____ and surgical equipment shall have a written preventive maintenance program developed and implemented. Equipment shall be checked and tested in accordance with the manufacturer's specifications at designated intervals, not less than annually, to ensure proper operation and a state of good repair.  (c) All surgical instruments shall have a written preventive maintenance program developed and implemented. Surgical instruments shall be cleaned and checked for function after use to	A 156	(a) We have a contract with C&T Medical Equipment, INC. The recalibration to all of the equipment was completed 6/19/13. All equipment has been recalibrated and is up to date based on the manufacturer's recommendation. A maintenance chart has been created to ensure maintenance schedules are not missed or overlooked.  (b & c) Written preventative maintenance programs have been created for anesthesia, surgical equipment and instruments.	6/21/13

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE  
 STATE FORM


*[Signature]*

TITLE  
 Administrator

(X6) DATE  
 7/8/13

3 contract sheet 1 of 3

*[Signature]* 7/10/13



## Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  AC13960052	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____		(X3) DATE SURVEY COMPLETED  03/22/2013
NAME OF PROVIDER OR SUPPLIER  BLUE CORAL WOMEN'S CARE, INC.			STREET ADDRESS, CITY, STATE, ZIP CODE 7360 CORAL WAY SUITE 16 MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 156	Continued From page 1 ensure proper operation and a state of good repair.  Chapter 68A-9.0225(7), F.A.C.  This STANDARD is not met as evidenced by: Based on observation, record review, and interview, the facility failed to ensure patient monitoring equipment, and surgical equipment being utilized is checked and tested in accordance with the manufacturer's specifications to ensure proper operation and a state of good repair.  Findings include:  During a tour of the facility conducted on _____ at approximately 12:17 pm with facility staff, the surveyor observed a sterilizer, suction machine, _____ machine, _____ monitor, and defibrillator. The maintenance sticker on the machines indicated the next scheduled due date for service was 1-2-2013. Facility staff reviewed the dates on the equipment with the surveyor on _____ at approximately 12:17 pm, and confirmed the due date for service was _____	A 156	<i>These are part of the procedure manual for our office. All updated stickers have been added.</i>	6/21/13	
A 400	Recovery I-2nd Trimester  Each abortion clinic which is providing second trimester abortions shall comply with the following recovery _____ when providing second trimester abortions:  (1) Following the procedure, post procedure recovery _____ will be supervised and staffed to meet the patient's needs. A physician or physician assistant, a licensed registered nurse, a licensed practical nurse or an advanced registered nurse practitioner who is trained in the management of	A 400	<i>(1) A registered nurse is part of our recovery room staff for all 2nd trimester cases. We have 2 of them depending on the day. In addition other staff that is qualified, medical assistants, CNA, and are certified to provide basic cardiopulmonary assistance.</i>		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(K1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  AC13960052	(K2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____		(K3) DATE SURVEY COMPLETED  05/22/2013
NAME OF PROVIDER OR SUPPLIER  BLUE CORAL WOMEN'S CARE, INC.			STREET ADDRESS, CITY, STATE, ZIP CODE 7380 CORAL WAY SUITE 16 MIAMI, FL 33166		
(K4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(K6) COMPLETE DATE	
A 400	Continued From page 2  the recovery area shall be available to monitor the patient in the recovery ..... the patient is discharged. The individual must be certified in basic ..... A patient in the post-op or recovery be observed for as long as the patient's condition warrants.  (2) The clinic shall arrange hospitalization if any complication beyond the medical capability of the staff occurs or is suspected. The clinic shall ensure that all appropriate equipment and services are readily accessible to provide appropriate emergency resuscitative and life support procedures pending the transfer of the patient or a viable ..... to the hospital. A physician shall sign the discharge order and be readily accessible and available until the last patient is discharged to facilitate the transfer of emergency cases if hospitalization of the patient or viable ..... is necessary. The clinic medical records documenting care provided shall accompany the patient. These records will include the contact information for the physician who performed the procedure at the clinic.  (3) A physician shall discuss Rho (D) ..... with each patient for whom it is indicated and will ensure that it is offered to the patient in the immediate ..... period or that it will be available to the patient within 72 hours following completion of the abortion procedure. If the patient refuses the Rho (D) ..... 2006, "Refusal to Permit Administration of (D) .....", herein incorporated by reference, shall be signed by the patient and a witness, and shall be included in the patient's medical record.  (4) Written instructions with regard to post	A 400	These individuals a p. sent during patients entire stay at our facility.  (2) In case of complications beyond the staff's capabilities we have a written process to contact emergency responders and arrange hospitalization. We also have a crash cart if needed.  (3) Our physician discusses RHO(D) immune globulin with each patient that meets that criteria prior to completing any procedure. We require patients to sign a document accepting that they were explained the details. Our physicians require the vaccine and will refuse to complete the procedure without the vaccine.	6/2/13	

11:53 3855933121

AHCA

PAGE 1  
 PRINTED: 08/18/2013  
 FORM APPROVED

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  AC1380052	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  09/22/2013
NAME OF PROVIDER OR SUPPLIER  BLUE CORAL WOMEN'S CARE, INC.		STREET ADDRESS, CITY, STATE, ZIP CODE 7380 CORAL WAY SUITE 16 MI FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	DATE COMPLETE DATE
A-400	<p>Continued From page 3</p> <p>abortion cotus, signs of possible medical complications, and general aftercare shall be given to each patient. Each patient shall be given specific written instructions regarding access to medical care for complications, including a telephone number to call for medical emergencies. The physician will ensure that either a registered licensed practical nurse, advanced registered nurse practitioner, or physician assistant from the abortion clinic makes a good faith effort to contact the patient by telephone, with the patient's consent, within 24 hours after surgery to assess the patient's recovery. A contact for post-operative care from the facility shall be available to the patient on a 24-hour basis.</p> <p>(5) Facility procedures must specify the minimum length of time for recovery as warranted by the procedure type and period.</p> <p>Chapter 58A-9.027, F.A.C.</p> <p>This STANDARD is not met as evidenced by: Based on record review and interview, the clinic failed to ensure when providing second trimester abortions, following the procedure, the post procedure recovery is monitored by a physician or physician assistant, a licensed registered nurse, a licensed practical nurse or an advanced registered nurse practitioner who is trained in the management of the recovery area, and shall be available to monitor the patient in the recovery room until the patient is discharged in 3 (#1, #2, and #3) out of 3 sample patients. The individual must be certified in basic life support resuscitation.</p> <p>Findings include:</p>	A-400	<p>Calls are made to patients 24 hrs after the procedure to ensure patients are recovering well. We provide written post op instructions with our 24 hour contact number. Documents attached.</p> <p>corrected 6/21/13 see Attachment</p> <p>A RN nurse is part of our recovery room staff for all 22 trimester cases. The RN monitor the patient at recovery room and she will be sure all the files are signed accordingly</p>	6/21/13          6/21/13

11:53 3055933121

AHCA

PAGE 08/08

PRINTED: 09/18/2013  
FORM APPROVED

## Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  AC13860052	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  05/22/2013
NAME OF PROVIDER OR SUPPLIER  BLUE CORAL WOMEN'S CARE, INC.		STREET ADDRESS, CITY, STATE, ZIP CODE 7360 CDRL WAY SUITE 16 MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 400	Continued From page 4  Clinical record reviews conducted on revealed 3 (#1, #2 and #3) out of 3 2nd trimester abortion procedures, did not document the recovery period as having been monitored by a physician, physician's assistant, registered nurse, licensed practical nurse, or an advanced registered nurse practitioner. The recovery period was monitored by the facility's Medical Assistant/Administrator. Sample patient #1's period was 14 weeks, sampled patient #2's and #3's periods were 13 weeks.  During an interview conducted on _____ at approximately 12:45pm with the Medical Assistant/Administrator, she acknowledged her signatures on the post procedure recovery monitoring section for sampled patients #1, #2 and #3. The Medical Assistant/Administrator stated she oversees the recovery _____ she's responsible for the clinic, and it's care and services rendered.  The Medical Assistant/Administrator stated on _____ at approximately 12:45 pm, the facility's registered nurse monitors the recovery _____ The Medical Assistant/Administrator acknowledged the registered nurse's signature was not on the post procedure forms. The Medical Assistant/Administrator was unable to demonstrate the registered nurse monitors the recovery _____ patients who have had 2nd trimester procedures at the time of the survey.	A 400	<i>We agree and that was a mistake that was corrected we have two registered nurses See Attachment</i>	6/2/13



RICK SCOTT  
GOVERNOR

ELIZABETH DUDEK  
SECRETARY

, 2013

Administrator  
Blue Coral Women's Care, Inc.  
7360 Coral Way Suite 16  
Miami, FL 33155

Dear Administrator:

This letter reports the findings of a state licensure survey that was conducted on \_\_\_\_\_ 2013 by a representative of this office.

Attached is the provider's copy of the State (3020) Form, which indicates the deficiencies that were identified on the day of the visit.

Please provide a plan of correction to this Field Office, in accordance with enclosed instructions, for the identified deficiencies **within ten calendar days of receipt of this faxed report**. You will not receive a copy of this report in the mail, you will only receive this faxed report. **All deficiencies shall be corrected no later than \_\_\_\_\_ 2013.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call Faith Randolph, Registered Nurse Consultant at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis  
Field Office Manager, Area 11

Enclosures: State (3020) Form and POC Guidelines

Headquarters  
2727 Mahan Drive  
Tallahassee, FL 32308  
<http://ahca.myflorida.com>



Miami Field Office  
8333 N.W. 53rd Street, Suite 300  
Miami, FL 33166  
Phone (305) 593-3100; Fax (305) 593-3121